



Item no: 0102131

Vacuum pump CLASSIC H120, conn. AD, NBR sealings

These vacuum pumps are Piab's traditional pumps developed to be used within the chemical industry or in chemically aggressive environments.

- Higher vacuum levels to 100.8 -kPa
- Use with practically zero leakage present and non-porous applications
- Available with connection plate in aluminium (AD) and composite PPS (D)

General

Material	PPS, SS, AL, NBR
Noise level	60 - 65 dBA
Temperature	-20 - 110 °C
Weight	1.114 kg


Performance

Feed pressure, max.	0.7 MPa
---------------------	---------


Feed pressure	Air consumption	Vacuum flow (NI/s) at different vacuum levels (-kPa)										Max vacuum
MPa	NI/s	0	10	20	30	40	50	60	70	80	-kPa	
H120 0,60 - 0,6	7.6	8.4	6.6	4.7	2.7	1.5	1.2	0.86	0.62	0.43	100.8	

Feed pressure	Air consumption	Evacuation time (s/l) to reach different vacuum levels (-kPa)										Max vacuum
MPa	NI/s	10	20	30	40	50	60	70	80	90	-kPa	
H120 0,60 - 0,6	7.6	0.018	0.033	0.06	0.11	0.18	0.27	0.42	0.62	1.3	100.8	

Dimensional drawings



	1	2	3
D	1/8" NPSF	G3/4"	G3/4"
AD	GW4"	G3/4"	G3/4"
E	1/4" NPT	3/4" NPT	3/4" NPT



Spare parts

3201069V | Sealing kit CLASSIC, Viton®

3201069 | Sealing kit CLASSIC, NBR